


[Sign in](#)



**Web** Results 1 - 10 of about 362,000 for (USB OR "universal serial bus") string custom property (host OR

### EP1221652

BACKGROUND [0003] The **Universal Serial Bus (USB)** is a cable bus that ... The **custom property** section includes information corresponding to one or more ...  
[swpat.fhii.de/pikta/txt/ep/1221/652/](#) - 46k - [Cached](#) - [Similar pages](#)

Sponsored Links

**Custom USB.com FlashDrive**  
USB Flash Drive with your Logo!  
32mb to 2GB, Low Prices Guaranteed  
[www.CustomUSB.com](#)

### Using MSMQ for Custom Remoting Channel. - The Code Project - C# ...

Each side of the connectivity has own **custom properties** to configure a channel ... After all the above checks, start the **server host** program and then client ...  
[www.codeproject.com/csharp/msmqchannel.asp?df=100&forumid=3021&exp=0&select=616175](#) - 89k - [Cached](#) - [Similar pages](#)

### Using MSMQ for Custom Remoting Channel. - The Code Project - C# ...

This is a **custom channel property**. Its format is corresponding with the MSMQ ... After all the above checks, start the **server host** program and then client ...  
[www.codeproject.com/csharp/msmqchannel.asp](#) - 87k - [Cached](#) - [Similar pages](#)

### [PDF] USB2524 USB MultiSwitch Hub Data Brief - SMSC

File Format: PDF/Adobe Acrobat

**Custom Serial String**. — Assignment of downstream ports to upstream hosts ... available to one or the other of the upstream **USB host** controllers, ...  
[www.smsc.com/main/datasheets/2524db.pdf](#) - [Similar pages](#)

### [PDF] Cypress USB 2.0 Mass Storage Device Driver for Windows

File Format: PDF/Adobe Acrobat - [View as HTML](#)

mass storage devices through the **USB 2.0 host**. For many ... Allows **custom strings** to be displayed in the Device Man- ...  
[www.cypress.com/.../materials/contents/cypress\\_usb\\_2\\_0\\_mass\\_storage\\_device\\_driver\\_for\\_windows\\_4.pdf](#) - [Similar pages](#)

### Robosapien PC Control Setup

It allows you to create a **custom** graphical user interface (GUI) with buttons that you can ... First thing make sure that the **USB-UIRT**, Girder, **ML Server**, ...  
[www.evosapien.com/robosapien-hack/jsamans/robosapien/pcmod.htm](#) - 13k - [Cached](#) - [Similar pages](#)

### CampusTech.com — Microsoft Visual FoxPro 9.0 Academic Edition

Exchange data with **SQL Server** through enhanced SQL language capabilities and ... Personalize the **Properties** Window with your favorite **properties**, **custom** ...  
[www.campustech.com/c/campust/MSCD92116WIAE.html](#) - 56k - [Cached](#) - [Similar pages](#)


### Merus - e-commerce software solutions for business-to-business and ...

Extends - this **property** can only be set for **String** lists. ... The attribute **properties** outlined above do not apply to **custom** attributes. ...  
[www.merus.co.uk/product](#) - 31k - [Cached](#) - [Similar pages](#)

### Release Notes for This Beta Release of Windows Server Code Name ...

However, you can use a removable **universal serial bus (USB)** flash drive for the ... To

[Sign in](#)



**Web** Results 11 - 20 of about 362,000 for (USB OR "universal serial bus") string custom property (host OR

### Runtime Configuration Guidelines: Property List Key Reference

Each entry in this **property's** array is a **string** identifying the language name ... For example, you might want to prevent users from accessing a **custom USB** ...

developer.apple.com/documentation/MacOSX/Conceptual/BP/RuntimeConfig/Articles/PListKeys.html - 84k -

[Cached](#) - [Similar pages](#)

Sponsored Links

**Custom USB.com FlashDrive**  
USB Flash Drive with your Logo!  
32mb to 2GB, Low Prices Guaranteed  
[www.CustomUSB.com](http://www.CustomUSB.com)

### kikizas.net » USB applications

200511: HTTP **server** to transfer files. Easy to use, w/ extended help file. ... include:

**custom** hotkeys, folding, highlighting of found **strings**, macros, ...

[www.kikizas.net/en/usbapps.html](http://www.kikizas.net/en/usbapps.html) - 41k - [Cached](#) - [Similar pages](#)

### EP1221652 Microsoft european software patent - System and method ...

[0003] The **Universal Serial Bus (USB)** is a cable bus that supports data exchange ... a

**custom property** section comprised of one or more **custom property** ...

[gauss.flii.org/PatentView/EP1221652](http://gauss.flii.org/PatentView/EP1221652) - 62k - [Cached](#) - [Similar pages](#)

### Waaargh.NET :

NET **properties** with attributes that declare which xml nodes are going to be ... 2. put the plugin dll in the ccnet **server** folder 3. put the **custom** xml in ...

[dotnetjunkies.com/WebLog/appeng/default.aspx](http://dotnetjunkies.com/WebLog/appeng/default.aspx) - 112k - [Cached](#) - [Similar pages](#)

### BlackBerry

Client catcher is used when the **server** encodes the contact data into a non-standard format then sends it to a **custom** application that must be installed on ...

[www.blackberry.com/developers/journal/july\\_2005/net\\_pushing\\_multiple.shtml](http://www.blackberry.com/developers/journal/july_2005/net_pushing_multiple.shtml) - 31k -

[Cached](#) - [Similar pages](#)

### Push messages that automatically launch a Java mobile application

Pushing messages to a mobile device from a **server** and automatically ... Add the **custom**

**property** SMS-Port. Click on thumbnail to view full-sized image. ...

[www.javaworld.com/javaworld/jw-04-2006/jw-0417-push.html](http://www.javaworld.com/javaworld/jw-04-2006/jw-0417-push.html) - [Similar pages](#)

### SQL Server Working with Flat-Files, BizTalk Server tutorials

Field **Property** Name, Meaning and Usage. **Custom** Date/Time Format, Specifies a character **string** indicating the format of date/time fields. ...

[www.dotnetspider.com/kb/Article1952.aspx](http://www.dotnetspider.com/kb/Article1952.aspx) - 32k - [Cached](#) - [Similar pages](#)

### Gautam Goenka (MSFT)

The Assembly Version task makes the checkin with a fixed comment **string** and while ...

Passing **custom properties** to each individual solutions in Team Build ...


[blogs.msdn.com/gautamg/](http://blogs.msdn.com/gautamg/) - 83k - [Cached](#) - [Similar pages](#)

### Commonality - Tuesday, 31 January 2006

NET application expects the message contents to be a **string**, ... by the way) **custom** pipeline component for BizTalk **Server**: The FixEncodingComponent. ...

[www.winterdom.com/weblog/default,date,2006-01-31.aspx](http://www.winterdom.com/weblog/default,date,2006-01-31.aspx) - 65k - [Cached](#) - [Similar pages](#)

[Sign in](#)



**Web Results 21 - 30** of about **362,000** for **(USB OR "universal serial bus") string custom property (host OR**

### Coding4Fun: System Monitor

Utilities exist to monitor hard drive health, but it looks like **USB** hard drives aren't ... **Host custom** Monitors. Provide an interface for **custom** Notifiers. ...

[msdn.microsoft.com/coding4fun/](http://msdn.microsoft.com/coding4fun/)

[coolapplications/sysmonitor/default.aspx](http://coolapplications/sysmonitor/default.aspx) - 50k - [Cached](#) - [Similar pages](#)

Sponsored Links

### Custom USB.com FlashDrive

**USB** Flash Drive with your Logo!

32mb to 2GB, Low Prices Guaranteed

[www.CustomUSB.com](http://www.CustomUSB.com)

### Pager Preferences

To find the COM port number for the **USB** modem, use the Settings->Network and ... Name:

This columns displays the **custom** name description **string** assigned to ...

[schist.und.nodak.edu:8888/SiteScope/docs/PagerPref.htm](http://schist.und.nodak.edu:8888/SiteScope/docs/PagerPref.htm) - 18k - [Cached](#) - [Similar pages](#)

### Sun Tools & Products Forums - CD-RW ATAPI CD-RW in **USB** External ...

Hardware **properties**: name='usb-product-name' type=string items=1 value='E-**USB**

Bridge' ... **host** operating system that an **USB** mass storage device is attached ...

[forum.sun.com/jive/thread.jspa?threadID=77448&tstart=120](http://forum.sun.com/jive/thread.jspa?threadID=77448&tstart=120) - 44k - [Cached](#) - [Similar pages](#)

### Zupancic Perspective

NET cannot create or open the application - Fixed · 5.0 - **Server-side** Templating ... **string**

typeName = (string)nav.Evaluate("string(@type)"); ...

[blog.devstone.com/aaron/](http://blog.devstone.com/aaron/) - 106k - [Cached](#) - [Similar pages](#)

### hB

You can buy a little wireless key fob with **USB** Receiver manufactured by a no-name ...

Private strStaffId As **String** Public **Property** StaffId() As **String** ...

[habibcs.blogspot.com/](http://habibcs.blogspot.com/) - 36k - [Cached](#) - [Similar pages](#)

### **USB** Complete: Table of Contents

Creating a **Custom** Driver. Writing a Driver from Scratch. Using a Driver Toolkit ... 20. Dual-

role Devices with **USB** On-The-Go 535. Device and **Host** in One ...

[www.lvr.com/usbctoc.htm](http://www.lvr.com/usbctoc.htm) - 36k - [Cached](#) - [Similar pages](#)

### Documentation - Common UNIX Printing System

The optional URIs **string** contains zero or more URIs separated by a newline. Each URI can

be a CUPS **server** absolute path to a help file under the scheduler's ...

[www.cups.org/documentation.php/spec-ppd.html](http://www.cups.org/documentation.php/spec-ppd.html) - 26k - [Cached](#) - [Similar pages](#)

### Amiflash Download :: Development

Get the User Role value from the **custom**-made **property** in the modified UserObject

profile **string** userrole = userProfile.**Properties**["GeneralInfo.user\_role"] ...

[www.softfile.org/detail/development/amiflash+download](http://www.softfile.org/detail/development/amiflash+download) - 26k - [Cached](#) - [Similar pages](#)

### How can I set **properties** for a usercontrol in windows? in C#, VB ...

In the following example, Color and Text are **properties** of a user control instance created

by the Acme:Login **custom** **server** control tag. ...

[www.dotnetspider.com/qa/Question11708.aspx](http://www.dotnetspider.com/qa/Question11708.aspx) - 35k - [Cached](#) - [Similar pages](#)

### [PDF] **VIDs**, **PIDs**, and **Firmware**: Design Decisions When Using **TI USB** ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((usb or (universal serial bus)) and (host or server) and custom &lt;in&gt;metadata)"

☒ e-mail

Your search matched 20 of 1351636 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)


- ☐ 1. **Stanford Interactive workspaces: a framework for physical and graphical prototyping**  
Borchers, J.; Ringel, M.; Tyler, J.; Fox, A.;  
[Wireless Communications, IEEE \[see also IEEE Personal Communications\]](#)  
Volume 9, Issue 6, Dec. 2002 Page(s):64 - 69  
Digital Object Identifier 10.1109/MWC.2002.1160083  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(868 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Digital fieldbus installations use EDDL for simplicity with advanced, full f**  
Zielinski, M.;  
[Computing & Control Engineering Journal](#)  
Volume 15, Issue 6, Dec. 2004-Jan. 2005 Page(s):24 - 31  
[AbstractPlus](#) | Full Text: [PDF\(851 KB\)](#) IEE JNL
- ☐ 3. **A PDA-based Network for Telemonitoring Asthma Triggering Gases in the Districts of the US - Mexico Border Region**  
Shenoy, N.; Nazeran, H.;  
[Engineering in Medicine and Biology Society, 2005. IEEE-EMBS 2005. 27th Annual International Conference of the](#)  
01-04 Sept. 2005 Page(s):5186 - 5189  
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Extensible Hardware Architecture for Mobile Robots**  
Park, E.; Kobayashi, L.; Lee, S.Y.;  
[Robotics and Automation, 2005. Proceedings of the 2005 IEEE International C](#)  
18-22 April 2005 Page(s):3084 - 3089  
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **A Lightweight UI Software Infrastructure for Wrist-Based Displays: If You Oven Could Talk to Your Watch, What Would It Say?**  
Hutterer, P.; Smith, M.T.; Ankcorn, J.; Piekarski, W.; Thomas, B.H.;  
[Information Technology and Applications, 2005. ICITA 2005. Third International](#)  
Volume 2, 4-7 July 2005 Page(s):265 - 270  
Digital Object Identifier 10.1109/ICITA.2005.22


[AbstractPlus](#) | Full Text: [PDF\(95 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- ☐ **6. Multichannel data acquisition system based on FPGA for high resolution**  
 Buzzetti, S.; Capou, M.; Guazzoni, C.; Longoni, A.; Mariani, R.; Moser, S.;  
[Nuclear Science Symposium Conference Record, 2004 IEEE](#)  
 Volume 3, 16-22 Oct. 2004 Page(s):1458 - 1462 Vol. 3  
 Digital Object Identifier 10.1109/NSSMIC.2004.1462515  
  
[AbstractPlus](#) | Full Text: [PDF\(1288 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **7. Reconfigurable context-sensitive bio-bridge middleware for smart bio-lab**  
 Wei-Khing For; Xiaoming Bao; Woon-Seng Gan; See-Kiong Ng;  
[Advanced Information Networking and Applications, 2005. AINA 2005. 19th Int](#)  
[Conference on](#)  
 Volume 2, 28-30 March 2005 Page(s):561 - 566 vol.2  
 Digital Object Identifier 10.1109/AINA.2005.291  
  
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **8. Hardware / Software Co-Design of a SIMD-DSP-Based DVB-T Receiver**  
 Seidel, H.; Cichon, G.; Robelly, P.; Bronzel, M.; Fettweis, G.;  
[Parallel Computing in Electrical Engineering, 2004. PARLEC 2004. Internation](#)  
 7-10 Sept. 2004 Page(s):221 - 225  
 Digital Object Identifier 10.1109/PCEE.2004.35  
  
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **9. Personal mobile hub**  
 Husemann, D.; Narayanaswami, C.; Nidd, M.;  
[Wearable Computers, 2004. ISWC 2004. Eighth International Symposium on](#)  
 Volume 1, 31 Oct.-3 Nov. 2004 Page(s):85 - 91  
 Digital Object Identifier 10.1109/ISWC.2004.35  
  
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **10. Foucault's Pendulum in the Distributed Control Lab**  
 Rasche, A.; Troger, P.; Dirska, M.; Polze, A.;  
[Object-Oriented Real-Time Dependable Systems, 2003. WORDS 2003 Fall. T](#)  
[International Workshop on](#)  
 01-03 Oct. 2003 Page(s):299 - 299  
 Digital Object Identifier 10.1109/WORDS.2003.1267543  
  
[AbstractPlus](#) | Full Text: [PDF\(976 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **11. Foucault's pendulum in the distributed control lab**  
 Rasche, A.; Troger, P.; Dirska, M.; Polze, A.;  
[Object-Oriented Real-Time Dependable Systems, 2003. Proceedings. Ninth IE](#)  
[Workshop on](#)  
 1-3 Oct. 2003 Page(s):299 - 306  
 Digital Object Identifier 10.1109/WORDS.2003.1267543  
  
[AbstractPlus](#) | Full Text: [PDF\(1096 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **12. Online power monitoring for wearable systems**  
 Dorsey, J.G.; Siewiorek, D.P.;  
[Wearable Computers, 2002. \(ISWC 2002\). Proceedings. Sixth International Sy](#)  
 7-10 Oct. 2002 Page(s):137 - 138  
 Digital Object Identifier 10.1109/ISWC.2002.1167232

[AbstractPlus](#) | Full Text: [PDF\(434 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- ☐ **13. A single chip terminal solution for high-end telephone applications**  
Nair, V.; Erdmann, M.; Mishra, S.; Povazanec, J.; Shaligram, A.; Hu Chun Fen  
[Custom Integrated Circuits, 2001, IEEE Conference on](#)  
6-9 May 2001 Page(s):417 - 420  
Digital Object Identifier 10.1109/CICC.2001.929813  
[AbstractPlus](#) | Full Text: [PDF\(628 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **14. Iris-based cyclotorsional image alignment method for wavefront registrat**  
Chernyak, D.A.;  
[Biomedical Engineering, IEEE Transactions on](#)  
Volume 52, Issue 12, Dec. 2005 Page(s):2032 - 2040  
Digital Object Identifier 10.1109/TBME.2005.857674  
[AbstractPlus](#) | Full Text: [PDF\(1056 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ **15. A highly regular and scalable AES hardware architecture**  
Mangard, S.; Aigner, M.; Dominikus, S.;  
[Computers, IEEE Transactions on](#)  
Volume 52, Issue 4, April 2003 Page(s):483 - 491  
Digital Object Identifier 10.1109/TC.2003.1190589  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1575 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ **16. A WBAN System for Ambulatory Monitoring of Physical Activity and Heal**  
**Applications and Challenges**  
Jovanov, E.; Milenkovic, A.; Otto, C.; De Groen, P.; Johnson, B.; Warren, S.;  
[Engineering in Medicine and Biology Society, 2005, IEEE-EMBS 2005, 27th A](#)  
[International Conference of the](#)  
01-04 Sept. 2005 Page(s):3810 - 3813  
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **17. Real time texture classification using field programmable gate arrays**  
Wall, G.; Iqbal, F.; Isaacs, J.; Xiuwen Liu; Foo, S.;  
[Applied Imagery Pattern Recognition Workshop, 2004, Proceedings, 33rd](#)  
13-15 Oct. 2004 Page(s):130 - 135  
Digital Object Identifier 10.1109/AIPR.2004.38  
[AbstractPlus](#) | Full Text: [PDF\(400 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **18. LabView/sup /spl reg// Interface for school-network DAQ card**  
Berns, H.; Burnett, T.H.; Gran, R.; Wheel, G.; Wilkes, R.J.; Claes, D.; Kite, J.;  
[Nuclear Science Symposium Conference Record, 2003 IEEE](#)  
Volume 2, 19-25 Oct. 2003 Page(s):863 - 865 Vol.2  
[AbstractPlus](#) | Full Text: [PDF\(697 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ **19. Performance analysis of fixed, reconfigurable, and custom architectures**  
**Image and video encryption algorithm**  
Dollas, A.; Kachris, C.; Bourbakis, N.;  
[Field-Programmable Custom Computing Machines, 2003, FCCM 2003, 11th A](#)  
[Symposium on](#)  
9-11 April 2003 Page(s):19 - 28  
[AbstractPlus](#) | Full Text: [PDF\(334 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

-  **20. An examination of HF modem platform architectures**  
Jorgenson, M.B.; Johnson, R.W.; Moreland, K.W.;  
[Military Communications Conference, 2001. MILCOM 2001. Communications :  
Centric Operations: Creating the Information Force. IEEE](#)  
Volume 1, 28-31 Oct. 2001 Page(s):460 - 464 vol.1  
Digital Object Identifier 10.1109/MILCOM.2001.985838  
[AbstractPlus](#) | Full Text: [PDF\(171 KB\)](#) IEEE CNF  
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE ...

# PG Pub Interference Search

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((universal near2 serial near2 bus) or USB) and (customize or customized or customizing or tailor or tailoring or tailored or custom) and (string with (property or descriptor or index or code or format))).clm.	US-PGPUB	OR	ON	2006/06/05 18:30